


DATA SHEET

MOTOR SPECIFICATIONS FOR VTLF/VXLF 2.250

MAKE IT BECKER.



- The M1 dimension can affect the total pump/blower length. (The motor illustration may vary.)
- Current consumption and rotation speed may vary. Tolerance in each case -1.5/+2%.
- For binding motor data, see motor type plate.
- For the operation of Becker pumps with standard motors on frequency inverters, our project planning notes must be observed! → [DOWNLOAD Project Planning Notes](#)

#	Specifications								Weight		M1		L1 – Does the motor affect the total pump length?			Motor order no.	
	~	Hz	kW	[hp]	V	rpm	A	Version	kg	[lbs]	mm	[inch]	Affect?	mm	[inch]		
01	3~	50	5.5	[7.4]	Δ230/Y400	IE3	972	23.4/13.5	IP55 • ISO F • PTO	102	[224.9]	460.0	[18.1]	yes	1175.0	[46.3]	42889622300003TA
		60	6.6	[8.9]	Δ265/Y460	IE3	1170	23.4/13.5									
					Δ230/Y400		1162	24.2/14.0									
02	3~	50	5.5	[7.4]	Δ400/Y690	IE3	976	13.5/7.8	IP55 • ISO F • PTO	107	[235.9]	460.0	[18.1]	yes	1175.0	[46.3]	42889690300003TA
		60	6.6	[8.9]	Δ460/Y795	IE3	1173	13.6/7.9									
					Δ400/Y690		1160	14.3/8.3									
03	3~	50	5.5	[7.4]	Δ400/Y690	IE3	980	13.2/7.6	IP55 • ISO F • PTO	91.2	[201.1]	482.5	[19.0]	yes	1197.5	[47.2]	42889690310003TA
		60	6.6	[8.9]	Δ460/Y795	IE3	1179	13.3/7.7									
					Δ400/Y690	IE2	1170	14.3/8.3									
04	3~	60	6.6	[8.9]	YY230/Y460	IE3	1175	27.8/13.9	UL • CSA • CC IP55 • ISO F • PTO	107	[235.9]	460.0	[18.1]	yes	1175.0	[46.3]	42989607300114TA
					YY208		1159	28.1									
05	3~	50	5.5	[7.4]	Δ200/Y350	IE3	974	26.9/15.5	IP55 • ISO F • PTO	107	[235.9]	460.0	[18.1]	yes	1175.0	[46.3]	42889653300003TA
		60	6.6	[8.9]	Δ220/Y380–400	IE3	1168	26.7/15.4–15.3									
					Δ200/Y350		1162	27.8/16.1									
06	3~	50	5.5	[7.4]	Δ200/Y350	IE3	981	26.7/15.4	IP55 • ISO F • PTO	96.2	[212.1]	482.5	[19.0]	yes	1197.5	[47.2]	42889653310003TA
		60	6.6	[8.9]	Δ220/Y380–400	IE3	1175	27.7/16.0–15.5									
					Δ200/Y350	IE2	1170	28.9/16.7									
07	3~	60	6.6	[8.9]	Δ400/Y690	IE3	1175	15.2/8.8	UL • CSA • CC IP55 • ISO F • PTO	107	[235.9]	460.0	[18.1]	yes	1175.0	[46.3]	42989654300114TA
08	3~	60		[10.0]	208-230/460		1775	28.5-25.8/12.9	NEMA IP55 • ISO F		[289.0]		[21.0]	yes		[49.1]	Exclusively from Becker Pumps USA!



MAKE IT BECKER.